













MALTEZOS CERTIFIED QUALITY WITH INTERNATIONAL MARKS


















Website: www.maltezos.gr Email: exports@maltezos.gr

PRODUCT HIGHLIGHTS


- HIGHLY SELECTIVE COATING
- TEMPERED SOLAR GLASS 4mm
- ALUMINUM ABSORBER WITH COPPER FLUID TUBES
- ALUMINUM SELECTIVE FINS OF 0.5mm THICKNESS
- LIGHTWEIGHT CONSTRUCTION FOR EASY TRANSPORT
- DURABLE CORROSION RESISTANT ALUMINUM FRAME
- ROCKWOOL INSULATION
- X4 COPPER OUTLETS



- Anodized extruded aluminum case | 1
 - Tempered glass | 2
- Selective Aluminum strip absorber welded with lazer technology | 3
 - Copper tubes harp | 4
 - Rockwoll sides and glasswool back insulation | 5

SOLUTIONS FOR EVERY TYPE OF ROOF & MAJORITY OF DIFFERENT APPLICATIONS

In roof mounting On roof mounting On the ground



Central heating for buildings



What is a forced circulation system



Forced circulation systems constitute an exceptional solution for residences or commercial buildings that have extensive requirements for hot water

In a typical forced circulation system collectors are placed on the roof building while the storage tank is inside

MALTEZOS SA provides all necessary components and accessories needed for the installation and operation of a forced system

This incudes vertical tanks, collectors with support frames, pumps, control units, and all relative accessories

SAC 130×150	SAC 100X200	SAC 130X200
Flat plate	Flat plate	Flat plate
129,4 x 149,4 x 9	99,5 x 199,5 x 9	128,5 x 199,5 x 9
1,93 m2	1,98 m2	2,56 m2
laser welding	laser welding	laser welding
selective aluminium fin (MIROTHERM)	selective aluminium fin (MIROTHERM)	selective aluminium fin (MIROTHERM)
12	9	12
Clear tempered glass 4mm	Clear tempered glass 4mm	Clear tempered glass 4mm
(Glasswool 50mm back/Rockwool 20mm sides)	(Glasswool 50mm back/Rockwool 20mm sides)	(Glasswool 50mm back/Rockwool 20mm sides)
anodized Aluminium, thickness:1,5mm	anodized Aluminium, thickness:1,5mm	anodized Aluminium, thickness:1,5mm
Seam sealant silicon glue & EPDM	Seam sealant silicon glue & EPDM	Seam sealant silicon glue & EPDM
32 kg	32,5 kg	45 kg
1,5 bar	1,5 bar	1,5 bar
15 bar	15 bar	15 bar
1309,2 W	1256,1 W	1755 W
EN 12975, Solarkeymark 🖺	EN 12975, Solarkeymark 🖺	EN 12975, Solarkeymark 🖺

MALTEZOS SA reserves the right to change specifications without prior notice





